

Listing of Claims. This Listing of Claims replaces all prior versions and listings of Claims in the application.

1           1.       (Currently Amended)       A gun rack for holding a firearm including a  
2 stock and a barrel, the stock including a butt portion, the gun rack comprising:  
3           a stock support assembly including a butt support member, the butt portion of  
4 the firearm positionable in and supportable by the butt support member;  
5           at least one side stock support member, connected to and extending from the  
6 butt support member, the side stock support member including an aperture located  
7 near a distal end of the side stock support member, the aperture adapted to permit  
8 insertion of a lock through the aperture; and  
9           a barrel support assembly including a barrel clip for grasping placement about  
10 an outer perimeter of a barrel of the firearm.

1           2.       (Cancelled)   The gun rack of Claim 1 wherein the stock support  
2 assembly further comprises at least one side stock support member connected to  
3 and extending from the butt support member.

1           3.       (Cancelled)   The gun rack of Claim 2 wherein the side stock support  
2 member further comprises an aperture located near a distal end of the side stock  
3 support member, a lock securable through the aperture and a trigger guard of the  
4 firearm for securing the firearm to the stock support assembly.

1           4.       (Currently Amended)       The gun rack of Claim 2 1 wherein the side  
2 ~~stock support member~~ aperture further comprises an oblong aperture located near a  
3 distal end of the side stock support member, a lock securable through the aperture  
4 and a trigger guard of the firearm for securing the firearm to the stock support  
5 assembly.

1           5.       (Original)       The gun rack of Claim 1 further comprising:  
2           a first mounting bracket, the stock support member pivotally mounted to the  
3 first mounting bracket and pivotable about an axis of rotation; and  
4           a second mounting bracket, the barrel clip pivotally mounted to the second  
5 mounting bracket and pivotable about the axis of rotation.

1           6.       (Original)       The gun rack of Claim 1 wherein the barrel support  
2 assembly further comprises a resilient barrel clip for grasping placement about a  
3 portion of a circumference of a gun barrel.

1           7.       (Currently Amended)       The gun rack of Claim 1 wherein the barrel  
2 support assembly further comprises a second side stock support member connected  
3 to and extending from the butt support member, the first side stock support member  
4 opposing the second side stock support member, the ~~second~~ first side stock support  
5 member including a substantially parallel orientation relative to the second side stock  
6 support member.

1           8.       (Original)       The gun rack of Claim 7 further comprising:  
2 the first side stock support member including a first aperture;  
3 the second side stock support member including a second aperture; and  
4 a lock securable through the first aperture, the second aperture and a trigger  
5 guard of the firearm for securing the firearm to the stock support assembly.

1           9.       (Original)       The gun rack of Claim 7 further comprising:  
2 the first side stock support member including a first oblong aperture;  
3 the second side stock support member including a second oblong aperture;  
4 and

5 a lock securable through the first oblong aperture, the second oblong aperture  
6 and a trigger guard of the firearm for securing the firearm to the stock support  
7 assembly.

1 10. (Original) The gun rack of Claim 7 further comprising:  
2 the stock support assembly including a first mounting bracket, the stock  
3 support member pivotally mounted to the first mounting bracket and pivotable about  
4 an axis of rotation; and  
5 the barrel support assembly including a second mounting bracket, the barrel  
6 clip pivotally mounted to the second mounting bracket and pivotable about the axis  
7 of rotation.

1 11. (Original) A gun rack for holding a firearm including a stock and a  
2 barrel, the stock including a butt portion, the gun rack comprising:  
3 a stock support assembly including a butt support member, the stock support  
4 assembly including at least one side stock support member connected to and  
5 extending from the butt support member, the butt portion of the firearm positionable  
6 in and supportable by the butt support member;  
7 a barrel support assembly including a barrel clip for placement about an outer  
8 perimeter of a barrel of the firearm;  
9 a first mounting bracket, the stock support member pivotally mounted to the  
10 first mounting bracket and pivotable about an axis of rotation; and  
11 a second mounting bracket, the barrel clip pivotally mounted to the second  
12 mounting bracket and pivotable about the axis of rotation.

1 12. (Original) The gun rack of Claim 11 wherein the side stock support  
2 member further comprises an aperture located near a distal end of the side stock  
3 support member, a lock securable through the aperture and a trigger guard of the  
4 firearm for securing the firearm to the stock support assembly.

1           13.    (Original)     The gun rack of Claim 11 wherein the side stock support  
2 member further comprises an oblong aperture located near a distal end of the side  
3 stock support member, a lock securable through the aperture and a trigger guard of  
4 the firearm for securing the firearm to the stock support assembly.

1           14.    (Original)     The gun rack of Claim 11 wherein the barrel support  
2 assembly further comprises a resilient barrel clip for placement about a portion of a  
3 circumference of a gun barrel.

1           15.    (Currently Amended)     The gun rack of Claim 11 wherein the barrel  
2 support assembly further comprises a second side stock support member connected  
3 to and extending from the butt support member, the first side stock support member  
4 opposing the second side stock support member, the ~~second~~ first side stock support  
5 member including a substantially parallel orientation relative to the second side stock  
6 support member.

1           16.    (Original)     The gun rack of Claim 15 further comprising:  
2 the first side stock support member including a first aperture;  
3 the second side stock support member including a second aperture; and  
4 a lock securable through the first aperture, the second aperture and a trigger  
5 guard of the firearm for securing the firearm to the stock support assembly.

1           17.    (Original)     The gun rack of Claim 15 further comprising:  
2 the first side stock support member including a first oblong aperture;  
3 the second side stock support member including a second oblong aperture;  
4 and

5 a lock securable through the first oblong aperture, the second oblong aperture  
6 and a trigger guard of the firearm for securing the firearm to the stock support  
7 assembly.

1 18. (Original) The gun rack of Claim 15 further comprising:  
2 the stock support assembly including a first mounting bracket, the stock  
3 support member pivotally mounted to the first mounting bracket and pivotable about  
4 an axis of rotation; and  
5 the barrel support assembly including a second mounting bracket, the barrel  
6 clip pivotally mounted to the second mounting bracket and pivotable about the axis  
7 of rotation.

1 19. (Currently Amended) A gun rack for supporting a firearm  
2 including a trigger guard and locking the firearm to the gun rack with a lock, the gun  
3 rack comprising:

4 a stock support assembly including a butt support member, the stock support  
5 assembly including at least one side stock support member connected to and  
6 extending from the butt support member, the butt portion of the firearm positionable  
7 in and supportable by the butt support member, the at least one side stock support  
8 member including a first aperture adapted to receive the lock through the aperture  
9 and the trigger guard of the firearm for securing the firearm to the stock support  
10 assembly;

11 a barrel support assembly including a resilient barrel clip for grasping  
12 placement about an outer perimeter of a firearm gun barrel;

13 a first mounting bracket, the stock support member pivotally mounted to the  
14 first mounting bracket and pivotable about an axis of rotation; and

15 a second mounting bracket, the barrel clip pivotally mounted to the second  
16 mounting bracket and pivotable about the axis of rotation.

1           20.   (Currently Amended)       The gun rack of Claim 19 further  
2 comprising:  
3       ~~the first side stock support member including a first aperture;~~  
4       ~~the~~ a second side stock support member connected to and extending from  
5 the butt support member, the second side stock support member including a second  
6 aperture adapted to receive the lock through the aperture; and  
7       a lock securable through the first aperture, the second aperture and a trigger  
8 guard of the firearm for securing the firearm to the stock support assembly.